



**Cod. P2-A1**  
445 x 340 mm  
+3,8 bar



**Cod. P2-A1E**  
445 x 340 mm  
+3,8 bar



**Cod. P2-A2**  
440 x 340 mm  
+3,2 bar



**Cod. P2-A2E**  
440 x 340 mm  
+3,2 bar



**Cod. P2-A3**  
440 x 310 mm  
+3,2 bar



**Cod. P2-A3E**  
440 x 310 mm  
+3,2 bar



**Cod. P2-A4**  
440 x 340 mm  
+3,2 bar




**Cod. P2-A4E**  
440 x 340 mm  
+3,2 bar



**Cod. P2-A5**  
440 x 310 mm  
+3,2 bar



**Cod. P2-A5E**  
440 x 310 mm  
+3,2 bar



**Cod. P2-A6**  
440 x 310 mm  
+3,0 bar



**Cod. P2-A7**  
440 x 310 mm  
+3,0 bar



**Cod. P2-A8**  
440 x 310 mm  
+3,0 bar



**Cod. P2-A9**  
440 x 310 mm  
+3,0 bar



**Cod. P2-A10**  
440 x 310 mm  
+3,0 bar




**Cod. P2-A11**  
480 x 370 mm  
+4 / +9 / +15 bar




**Cod. P2-A12**  
480 x 370 mm  
+4 / +9 / +15 bar



**Cod. P2-A13**  
440 x 310 mm  
-1,0/+0,7 bar



**Cod. P2-A15**  
520 x 420 mm  
+8,0 bar




**Cod. P2-A16**  
520 x 420 mm  
+8,0 bar



**Cod. P2-A17 (PED)**  
440 x 340 mm  
+8,0 bar



**Cod. P2-A18 (PED)**  
440 x 340 mm  
+8,0 bar



**Cod. P2-A21**  
520 x 420 mm  
+6,0 bar



**Cod. P2-A25**  
480 x 370 mm  
-1,0/+0,5 bar



**Cod. P2-A26**  
520 x 420 mm  
+3,0 bar




**Cod. P2-A27**  
520 x 420 mm  
+3,0 bar




**Cod. P2-A28**  
450 x 360 mm  
-1,0/+1,0 bar



**Cod. P2-A29**  
560 x 450 mm  
+4,0 bar




**Cod. P2-A30**  
440 x 340 mm  
+3,0 bar



**Cod. P2-A31 (PED)**  
520 x 420 mm  
+6,0 bar



Ovládání



Těsnění

V Cihelně 438  
CZ-273 53 Hostouň u Prahy

Mobil: 00420 775 166 966  
E-mail: [pavel.culka@post.cz](mailto:pavel.culka@post.cz)

IČO : 07721935  
DIČ : CZ07721935

Fio banka, a.s. – V Celnici 10  
CZ-117 21 Praha 1

EUR: IBAN: CZ42 2010 0000 0029 0154 7141  
CZK: IBAN: CZ18 2010 0000 0020 0154 7138



**Cod. P3-P11-101**  
307 x 442 mm  
+1,6 bar



**Cod. P3-P11-102**  
307 x 442 mm  
+1,6 bar



**Cod. P3-P11-103**  
307 x 442 mm  
+1,6 bar



**Cod. P3-P11-302 P11-303**  
442 x 307 mm  
+1,6/+1 bar



**Cod. P3-P11-340-440 ED/P**  
450 x 550 mm a 400 x 500 mm  
+2,4/+2,7 bar



**Cod. P3-P11-129/125/**  
407 x 452 mm / 411 x 455 mm  
+2,5/+5 bar



**Cod. P3-P11-410-510**  
410 x 510 mm  
+2 bar



**Cod. P3-P11-608**  
600 x 800 mm  
+1 bar



**Cod. P3-P21-303/407**  
307 x 442 mm a 442 x 307 mm  
+0,1 bar



**Cod. P3-P21-503/507**  
307 x 442 mm a 442 x 307 mm  
+0,1 bar



**Cod. P3-P21-116**  
411 x 455 mm  
+0,5 bar



**Cod. P3-P21-147/167/148/168**  
411 x 455 mm a 455 x 411 mm  
+1,2 až +3,2 bar




**Cod. P3-P21-516/517**  
411 x 455 mm a 455 x 411 mm  
+0,3 bar



**Cod. P3-P34-040**  
305 x 440 mm  
+1 bar  
pro dřevěné nádrže



**Cod. P3-P41-040**  
305 x 440 mm  
+1 bar  
k zabetonování



**Doplňující info**  
těsnění  
ovládání



**Cod. 1, 1R (PED)**

340 x 440 mm

+10, +6 bar



**Cod. 3**

410 x 510 mm

+6 bar



**Cod. 3A**

410 x 510 mm

+6 bar



**Cod. 4, 4 SUPER**

350 x 450 mm

+3, +4 bar



**Cod. 5, 5 SUPER**

350 x 450 mm

+3, +4 bar



**Cod. 6, 6A, 6 SUPER, 6A SUPER**

310 x 445 mm

+2 bar



**Cod. 6D**

315 x 412 mm

+4 bar



**Cod. 6D1**

315 x 412 mm

+4 bar



**Cod. 7, 7A, 7 SUPER, 7A SUPER**

410 x 510 mm

+6 bar



**Cod. 6D**  
315 x 412 mm  
+4 bar



**Cod. 6D1**  
315 x 412 mm  
+4 bar



**Cod. 7, 7A, 7 SUPER, 7A SUPER**  
410 x 510 mm  
+6 bar



**Cod. 7D**  
310 x 445 mm  
+0,1 bar



**Cod. 7F**  
435 x 590 mm



**Cod. 7G, 7GV, 7G1, 7G1V**  
412 x 315, 510 x 410 mm  
-1/+0,3 , -1/+0,08 bar



**Cod. 7P-MINI, 7P-MAXI,  
7P-MAXI-SUPER**  
410 x 540 mm  
+1,5 , +1,8 bar



**Cod. 8**  
340 x 440 mm  
+4 bar



**Cod. 8ECO**  
340 x 440 mm  
+2,5 bar



**Cod. 9A**  
340 x 440 mm  
+4 bar



**Cod. 9ECO**  
340 x 440 mm  
+2,5 bar



**Cod. 23F1, 23F2**  
412 x 315, 510 x 410 mm  
-1/+4, -1/+3 bar



**Cod. 23H10, 23H11**  
412 x 315, 510 x 410 mm  
-1/+4, -1/+3 bar